

Release notes

Version 22.04

- [IMPROVEMENT] - Web terminal - numeric keyboard for PIN authentication
- [BUGFIX] - Lexmark - problems with authentication
- [BUGFIX] - Lexmark - card assignment with wrong credentials causes unable to login again
- [BUGFIX] - Lexmark - User and Department info does not fit into layout
- [BUGFIX] - Lexmark - web terminal problem with job assembly
- [BUGFIX] - Lexmark - install device will not upgrade lexmark.flis terminal to latest
- [BUGFIX] - Lexmark - Card assignment "Home button" blocks the session when using web terminal
- [BUGFIX] - Job assembly - segment not added up when finish button pressed prematurely
- [BUGFIX] - AD import - log if imported text length exceeds the max limit
- [BUGFIX] - Canon - finishing options "Monochrome" / Rule force B&W / Group - Deny color do not work
- [BUGFIX] - Xerox - scan - terminal keeps previously entered values upon opening flow again after scan
- [BUGFIX] - Scan - no OCR output formats cause error
- [BUGFIX] - Devices - Filter by license Capture only return results for Print&Capture as well
- [BUGFIX] - Install same devices function removes spaces in device name and location
- [BUGFIX] - Translation - separate scan rename

Version 22.02

- [FEATURE] - New Lexmark web terminal
- [FEATURE] - Lexmark - SSO support
- [FEATURE] - Numeric keypad for numeric fields on web terminals
- [IMPROVEMENT] - ABBYY OCR: improve Excel export (keep text color and background of cells)
- [BUGFIX] - EPSON - scan from ADF results in unfinished session on some models
- [BUGFIX] - Ricoh - scan - app closes without error message when scanning 70+ pages
- [BUGFIX] - Ricoh - scan - missing Password parameter
- [BUGFIX] - Ricoh - Display print and scan tab on terminal when only Capture license selected
- [BUGFIX] - Ricoh - SSO does not sign in user correctly
- [BUGFIX] - Ricoh - Create new device allows to choose unsupported sign in method
- [BUGFIX] - Ricoh terminal - all options selected in Finishing are global for all users
- [BUGFIX] - Ricoh terminal - not reflecting Print All settings from server, last selection is kept
- [BUGFIX] - LPD client fails to print job if device is not in ready state - redelivery implemented
- [BUGFIX] - KM - wrong accounting when LPR/JetDirect delivery is used
- [BUGFIX] - KM - value in string/password parameters are displayed conversely
- [BUGFIX] - Lexmark - missing card info in unauthorized accesses
- [BUGFIX] - Lexmark - shows print and scan tab on terminal when only Capture license selected
- [BUGFIX] - Lexmark - error in Embedded Solutions log when parsing flow
- [BUGFIX] - Lexmark - error in Embedded Solutions log when printing more jobs - null pointer
- [BUGFIX] - Lexmark - uneditable parameters are not reflected in metadata
- [BUGFIX] - Lexmark - terminal shows characters incorrectly (DE localization)



- [BUGFIX] - Lexmark - printer does not reconnect to OD Server after network connection reestablished
- [BUGFIX] - Lexmark - doubled authentication when password/PIN auth is configured
- [BUGFIX] - Lexmark - freezes on card assignment
- [BUGFIX] - Lexmark - auth screen reports invalid credentials in case that there is no response from server
- [BUGFIX] - Lexmark - wrong auth screen on Lexmark (other than configured)
- [BUGFIX] - Lexmark - deny copy, print, scan, color functionality



1.3.1 Version 13

Version 13.03 (release date 11/11/2021)

- [FEATURE] - Kyocera support
- [IMPROVEMENT] - Xerox - possibility to configure icon and description on terminal via TLS
- [BUGFIX] - HP - login error when user email field contains space character

Version 13.02 (release date 29/10/2021)

- [IMPROVEMENT] - change default format type for scan flow: OptimiDoc OCR - searchable PDF
- [IMPROVEMENT] - Epson accounting improvement
- [BUGFIX] - OptimiDoc OCR produces PDF that is not compliant with PDF/A-1a
- [BUGFIX] - VersaLink - scan - job assembly does not work (ADF and 2+ pages)
- [BUGFIX] - FTPs - Cannot create scan delivery to destination
- [BUGFIX] - Canon - scan execution problem
- [BUGFIX] - "Install same devices" produces error on template device with SNMPv3
- [BUGFIX] - KM - scan via flow with NO OCR engine + non searchable PDF produces tif and kmcf files
- [BUGFIX] - Mobile app - current version cannot read the output from API/FLOW
- [BUGFIX] - Scan - workflow without specified language causes error in ABBYY engine
- [BUGFIX] - Wrong KM accounting when LPR/JetDirect delivery is used
- [BUGFIX] - Scan - No OCR multipage TIFF causes error
- [BUGFIX] - Dashboard scan file upload requests non-existing controller
- [BUGFIX] - Lexmark - error when job title contains "&" character

Version 13.01 (release date 15/09/2021)

- [BUGFIX] - datepicker changes locales after selection of date
- [BUGFIX] - alignment of button labels
- [BUGFIX] - new device - SNMP config chooses default profile alphabetically
- [BUGFIX] - Scan parameter - field/value validation does not work
- [IMPROVEMENT] - allow more parameters with same key
- [IMPROVEMENT] - hide "Help" icon from web for non admin users
- [IMPROVEMENT] - reports - add search using device SN
- [FEATURE] - add chinese language to OCR
- [FEATURE] - add min/max values for number parameter

Version 13 (release date 01/09/2021)

- [FEATURE] - PDF encryption
- [FEATURE] - PDF digital signature
- [FEATURE] - PDF metadata
- [FEATURE] - PDF watermark
- [FEATURE] - PDF redaction - text, regex, zone
- [FEATURE] - scan password parameter



1.3.1 Version 12

V 12.03 (release date 23/07/2021)

- [FEATURE] - RFIDeas card reader type
- [BUGFIX] - Epson - cannot process new CheckForUpdate data
- [BUGFIX] - OCR engine performance enhancements

V 12.02 (release date 12/07/2021)

- [IMPROVEMENT] - VersaLink automatic installation
- [BUGFIX] - Epson - scan - duplex page opacity
- [BUGFIX] - Wrong KM accounting when LPR/JetDirect delivery is used
- [BUGFIX] - Add instalation progress/check/status when device is created
- [BUGFIX] - Missing localization in User edit
- [BUGFIX] - Missing localization in Standard Report
- [BUGFIX] - HP Ent - Single Sign-on support
- [BUGFIX] - HP Pro: App cannot be launched with OD12
- [BUGFIX] - Scan - report - OptimiDoc OCR does not return number of pages
- [BUGFIX] - Configuration - number of parallel tasks by default is 0
- [BUGFIX] - Epson - error when starting scan
- [BUGFIX] - Epson installer with SSL fails
- [BUGFIX] - Epson - Swipe with unassigned card whilst another user logged in assigns card to the current user
- [BUGFIX] - Epson - Separate Scan error
- [BUGFIX] - Epson - IPP upgrade required during getting info about device
- [BUGFIX] - Scan parameter - parameter still editable if uneditable selected
- [BUGFIX] - HP Ent - manually selected localization does not take effect
- [BUGFIX] - OCR zone - reg exp does not return group match in () but whole occurrence

V 12.01 (release date 01/06/2021)

- [FEATURE] - Add support for InePro card readers
- [BUGFIX] - Scan - separation by barcode does not work
- [BUGFIX] - License invalidated (TimeExpired) problem
- [BUGFIX] - HP Ent: Sign in button has to be pressed on terminal prior to card swipe
- [BUGFIX] - Scan - orientation detection is not turn on in OptimiDoc OCR
- [BUGFIX] - Scan - HotFolder - unable to change path
- [BUGFIX] - Print queues settings not visible in Configuration

V 12 (release date 13/05/2021)

- [FEATURE] - new licensing model
- [FEATURE] - new OCR engine
- [IMPROVEMENT] - Modern terminal - search possibility in scan "Folder"
- [BUGFIX] - Standard report - table sorting
- [BUGFIX] - Error when scan destination ends with "\" and paramater follows



1.3.2 Version 11

V 11.04

- [BUGFIX] - Canon - Scan from MFP produces upload error
- [BUGFIX] - Web terminal - application authentication (login&password) - possible to log in without password
- [BUGFIX] - Canon terminal - not reflecting Print All settings from server, last selection is kept

V 11.02 and V 11.03

- [FEATURE] - Support of OptimiDoc Chrome Extension
- [BUGFIX] - Lexmark - login&password authentication allows login with empty password field
- [BUGFIX] - Job parser - PCL XL Class 3 support
- [BUGFIX] - Jobs from spooler folder are not being deleted
- [BUGFIX] - Epson terminal shows data for previously signed in user
- [BUGFIX] - Ricoh terminal - not reflecting default input scan workflow setting (such as paper size, duplex, etc.)
- [BUGFIX] - Canon - if logged in with pin and another user logs in with card it only logs out previous user

V 11.01

- [BUGFIX] - HP - scan error message when no session open on server - device without authentication
- [BUGFIX] - Possible NULL value when removing old job
- [BUGFIX] - Modern terminal look - missing information "Scan has been finished succe..."

V 11

- [FEATURE] - SharePoint Online - site selection
- [FEATURE] - Ricoh terminal integration
- [FEATURE] - Canon terminal integration
- [IMPROVEMENT] - Standard report - retrieve data only after clicking the Apply filter button
- [BUGFIX] - OCR zone background - missing TIFF file type
- [BUGFIX] - KM - Print All does not work
- [BUGFIX] - HP - terminal layout problem on small screen
- [BUGFIX] - Standard reports - Excel export issues
- [BUGFIX] - Print job removal - jobs deleted when specific combination set up
- [BUGFIX] - Hotfolder picks up also other than only newly created files
- [BUGFIX] - Add login/email to display on terminal to Userlist parameter
- [BUGFIX] - Allow to find non diacritics results when searching through User List names
- [BUGFIX] - Scan parameter list "VAL" string breaks the values



1.3.3 Version 10

V 10.08

- [BUGFIX] - Internal DB server name does not show up on dashboard
- [BUGFIX] - Network accounting not working when IPP delivery method selected
- [IMPROVEMENT] - Modern terminal look - search possibility in print
- [IMPROVEMENT] - Possibility to hide OptimiDoc print queues (Waiting, Printed) on the terminal

V 10.07

- [BUGFIX] - Error when accessing option Diagnostic - Active Users
- [BUGFIX] - Ability to assign default billing code without access rights by admin
- [BUGFIX] - Scan workflow - OCR settings kept after document type changed to non-OCR
- [BUGFIX] - IE doesn't display content of data tables
- [BUGFIX] - HP - Deny usage of color
- [BUGFIX] - Mobile app: HP Pro and Epson - unlock feature
- [BUGFIX] - HP terminal - responsive buttons with long labels
- [BUGFIX] - HP Pro: signout after 2nd card swipe (device freezing)
- [BUGFIX] - HP: change of finishing option is not reflected
- [BUGFIX] - HP Pro: handling of group access rights
- [BUGFIX] - IPP print problem on HP Pro devices
- [BUGFIX] - Xerox WorkCentre - modern terminal - scan parameter date picker won't open
- [BUGFIX] - Xerox - job preview button visual bug
- [BUGFIX] - Xerox - logout problem when using proxy
- [BUGFIX] - Data table - sorting applied on current page only
- [BUGFIX] - Automatic LDAP synchronization - minutes button
- [BUGFIX] - Epson: ability to add admin password
- [BUGFIX] - Epson: EOP test connection does not work
- [BUGFIX] - Epson: deny copy, print, scan, color functionality
- [BUGFIX] - IPP delivery - wait for ready state of printer before sending job
- [BUGFIX] - Filter Job list by owner does not work once the user was cached in browser
- [BUGFIX] - Installer - SQL Test button correction
- [BUGFIX] - Rules sync task - cyclic reference
- [BUGFIX] - Rules sync task - error handling
- [BUGFIX] - Finishing options display all possible options instead of only available
- [BUGFIX] - Event log - show message full HD display
- [BUGFIX] - Login form uses GET request method
- [IMPROVEMENT] - OD service: improve error message when Web is unavailable
- [IMPROVEMENT] - GSuite integration - user import
- [IMPROVEMENT] - Extend the documentation with whitepaper
- [IMPROVEMENT] - Installer: configure application preload in IIS
- [IMPROVEMENT] - Web interface speed optimization
- [IMPROVEMENT] - Current SQL driver in installer does not support TLS 1.2
- [IMPROVEMENT] - Ability to use hostname for SSL instead of IP
- [IMPROVEMENT] - HP: device installer modification to use strict SSL
- [IMPROVEMENT] - Install DLLs to GAC
- [IMPROVEMENT] - Xerox: DNS record in XSA

**V 10.06**

- [BUGFIX] - Deleting Email OCR flow won't delete (input) destination belonging to it
- [BUGFIX] - Long device or location name adds crlf after icon
- [BUGFIX] - Scan destination -> Email contains duplicate items
- [BUGFIX] - Language Icon doesn't show up correctly
- [BUGFIX] - Dashboard optimization
- [BUGFIX] - Job List - date To is limited by time when page is loaded
- [BUGFIX] - IP address and Server name in System info widget
- [IMPROVEMENT] - Old jobs removal - allow only one instance of process and add paging
- [IMPROVEMENT] - Correction of accounting data query in scheduler instead of startup procedure
- [IMPROVEMENT] - Welcome message after web interface login
- [IMPROVEMENT] - Job receiving optimization in spooler

V 10.05

- [BUGFIX] - Unescaped values in scan XML metadata
- [BUGFIX] - Unable to delete pricelist when was assigned to device without accounting
- [BUGFIX] - Scan workflows - Refresh after import
- [BUGFIX] - Epson: scan delivery doesn't work when configuration of FTP server is without "ftp://" prefix
- [BUGFIX] - Devices -> "Install same device functionality" - misleading data
- [BUGFIX] - Rules: check uniqueness of rule name
- [BUGFIX] - Sending automatic report in the same day as start of period
- [BUGFIX] - User import - Status is always "finished"
- [BUGFIX] - Billing code not used in accounting for direct queue print
- [BUGFIX] - Deleted departments are active in group
- [BUGFIX] - In OCR zone settings - dropdown type - visible different value than selected
- [BUGFIX] - OptimiDoc Client - popup doesn't appear in front of other applications
- [BUGFIX] - Rule - email notification - when "return key" typed in message body can't edit rule again
- [BUGFIX] - Epson broken screen texts (layout)
- [BUGFIX] - Rules - conditions for group Everyone not applied
- [BUGFIX] - Rules - when selected "less than" in numeric condition upon edit "greater than" is selected
- [BUGFIX] - Rule - save job preview - system parameters not applied while naming folder path
- [BUGFIX] - Rule - save job preview and reject in one rule don't work
- [BUGFIX] - List parameters field value/title description missing
- [BUGFIX] - File might be corrupted (Report export table)
- [BUGFIX] - Job list - Dropdown list in search sticks
- [BUGFIX] - Office365 IMAP server doesn't delete e-mails
- [BUGFIX] - "Remove AD" button doesn't delete AD settings
- [BUGFIX] - User Import - wrong localization - ID attribute, Default project attribute
- [BUGFIX] - Scan workflow - import creates duplicate destinations
- [BUGFIX] - Scan workflow - import can create duplicate workflows
- [BUGFIX] - Scan workflow - HotFolder - wrong redirection when not filled Folder Path
- [BUGFIX] - HotFolder - modal with parameters has wrong title
- [BUGFIX] - Scan workflow - import creates duplicate scan parameters



- [BUGFIX] - Scan workflow - import keeps document loaded
- [BUGFIX] - Automatic reports - filter items cannot be cleared
- [BUGFIX] - New AltaLink firmware (SPAR Release 103.xxx.000.06000) requires argument Provides during installation
- [BUGFIX] - Automatic reports are not generated
- [BUGFIX] - AD import - 2nd AD synchronization issue
- [BUGFIX] - AD import - 2nd AD advanced settings not applied
- [BUGFIX] - Scan destination FTP - unable to connect to different port
- [BUGFIX] - Email scan destination won't send output to more recipients
- [IMPROVEMENT] - Subscription business model
- [IMPROVEMENT] - HP - ability to configure timeouts for connections
- [IMPROVEMENT] - Xerox - colour forcing for xpdf header print job

V 10.04

- [BUGFIX] - Deny usage of color in copying - Xerox
- [BUGFIX] - Wrong error messages during adding/editing scan parameters
- [BUGFIX] - Problem with default billing codes accounting on copies
- [BUGFIX] - Epson - Calendar parameter wrong localization
- [BUGFIX] - IE doesn't display content of data tables
- [BUGFIX] - Invalid cluster IP address causes web doesn't start
- [BUGFIX] - AD import editor problems
- [BUGFIX] - Reports doesn't display circle graphs correctly
- [BUGFIX] - User import - advanced options doesn't send configuration
- [BUGFIX] - Unable to connect to TLS 1.2 only POP3/IMAP servers
- [BUGFIX] - Billing code not used in accounting for direct queue print
- [BUGFIX] - Slow CSV parameter loading in modern terminal look
- [BUGFIX] - HP: disable scanning button until device has finished previous scan
- [BUGFIX] - Email OCR: Enabled button (disable state) does not work
- [BUGFIX] - Insufficient Rights on modern terminal causes error
- [BUGFIX] - Epson - not working forced localization in device settings
- [BUGFIX] - Epson - Button Scan in Scanning Workflow - shifted label
- [IMPROVEMENT] - Add external ID to user info
- [IMPROVEMENT] - Add loading of default project from AD
- [IMPROVEMENT] - add user external ID to report data
- [IMPROVEMENT] - add external ID to excel report
- [IMPROVEMENT] - add external ID to standard report
- [IMPROVEMENT] - Upgrade Aspose Libraries to version 20.01

V 10.03

- [BUGFIX] Epson - Access OptimiDoc Web interface through terminal
- [BUGFIX] HP fw 4.9.x : concurrency exception during login process

V 10.02

- [BUGFIX] Count of password's chars
- [BUGFIX] Unable to delete pricelist when was assigned to removed device
- [BUGFIX] Terminal - available actions when no jobs are displayed
- [BUGFIX] RBE: print all action doesn't work on Lexmark devices
- [BUGFIX] Lexmark: missing space between rows in scan workflows list



- [BUGFIX] Unable to install Epson device
- [BUGFIX] HP: web authentication with proxy
- [BUGFIX] HP: separate scan opens OptimiDoc interface instead of native
- [BUGFIX] Xerox scan delivery ignores SSL setting
- [IMPROVEMENT] Lexmark - logout by card
- [IMPROVEMENT] Lexmark - add Croatian localization
- [IMPROVEMENT] Lexmark - add configurable landing screen
- [IMPROVEMENT] HP: ability to force version of scan API

V 10.01

- [BUGFIX] Epson: Scan using Job Assembly & Scan parameters
- [BUGFIX] Terminal: If there is no ScanWorkflow, it will show up a message.
- [BUGFIX] OD web - mobile layout: Redirection link to dashboard
- [BUGFIX] Web service will not start, if the server is not connected into network
- [BUGFIX] Device - Tags: Device counter (after deleting device)
- [BUGFIX] Scan Workflows - Input options: Scaling button size in Web UI in (Window mode)
- [BUGFIX] Diagnostic: Search elements in Log center stays same after switching to another log (event, web, service)
- [BUGFIX] Mass Operations: Data Import - card assignment to active users only
- [BUGFIX] Web UI: Flag icons
- [BUGFIX] HP: Authentication issues (problem with cards and hanging sessions)
- [BUGFIX] EDGE: Delete user from specific group
- [BUGFIX] Mobile app: Problem with unlocking HP devices
- [BUGFIX] Scan workflow: Displays incorrect info during edit OCR zone settings (Apply on page)
- [BUGFIX] Active Directory: user import from more directories
- [BUGFIX] OD Client: Billing code pagination
- [BUGFIX] Unable to edit Hotfolder settings in case of parameter usage
- [BUGFIX] HP scan: Selection of the closest DPI doesn't work properly
- [BUGFIX] SMTP Configuration: Test connection
- [BUGFIX] Slow web responses when server is without internet access
- [BUGFIX] Group List - Group settings: Enabling disabled workflows, connectors and billing codes
- [BUGFIX] KM/Develop terminal: Invalid checking of mandatory fields (PIN or Login & password authentication)
- [BUGFIX] HP: Scan settings using default values
- [BUGFIX] Modern terminal: Enter in ScanWorkflow description causes JavaScript is not working
- [IMPROVEMENT] Clear Event Log in DB (records older than one month)
- [IMPROVEMENT] Zonal OCR: added E13B font support
- [IMPROVEMENT] Group List: Added information about deleted user
- [IMPROVEMENT] Device/Dept/Group List: Fast browsing through all pages
- [IMPROVEMENT] Epson terminal: Automatic terminal layout
- [IMPROVEMENT] User settings: Default billing code whispering
- [IMPROVEMENT] Submit form by enter/button
- [IMPROVEMENT] Improved localizations
- [FEATURE] Add ability to select terminal version (Xerox & HP devices)
- [FEATURE] Allow selection of terminal layout (only for HP Enterprise and Xerox devices)



- [FEATURE] Notification: New item is not added (Group List)
- [FEATURE] Add WebDAV support as scan destination / print connector
- [FEATURE] Epson: Enable Modern layouts in device settings

V 10.00

- Version 10 is a brand-new version of OptimiDoc