

YSOFT SAFEQ 6

Build 62 Release Notes

CONTENT


1	New Features	2
2	Fixes and Improvements	3
2.1	Terminals, User Interfaces	3
2.2	Installation and Administration	3
2.3	Early Access Program	4
2.4	Other included change codes	4
2.5	Product extensions (or customizations)	5

1 NEW FEATURES

New FUJIFILM BI Embedded Terminal

A new Embedded Terminal developed to deliver a great user experience on FUJIFILM BI device models.

Based on Y Soft's Embedded Terminal 2nd Gen. platform, the new Embedded Terminal for FUJIFILM BI supports all types of authentication, native copy, print, automated scan workflows, billing codes and device dependent accounting: (SQC-5199)



User Authentication with Azure AD SAML

SAML is an industry standard for authentication.

The support of SAML in SAFEQ has been extended and allows users/administrators to authenticate to the end user interface and management using Azure AD SAML Embedded. (SQC-5737)

2 FIXES AND IMPROVEMENTS

2.1 TERMINALS, USER INTERFACES

When scanning a document from the glass of an Epson device with a duplex scanning setting, the user will see an error message to advise this is not possible. (SBT-3041)

2.2 INSTALLATION AND ADMINISTRATION

In management interface on deployment with MSSQL database, it is possible to load users from a user list. (SBT-3217)

If a print job is received and its owner is unknown, then an alias is correctly shown on the job reports. Additionally, assigning a given alias binds the print jobs from the sender to the user. (SBT-3205)

During card activation, the Terminal server masks out sensitive card number information. (SBT-3197)

When utilizing reporting filters, the user can see all jobs from the Default group without any exception. (SBT-3172)

In reports within management interface, the Job list shows the previous selected views option for an unidentified job owner. (SBT-3143)

When logged in the management interface as an administrator, it is no longer possible to change/edit a user's password information when imported from Azure AD with HTML code. (SBT-3116)

In management when selecting 'Separation' in the advanced scan settings, the page number will not allow a minus number to be accepted. (SBT-3104)

In the Rules Based Engine module within the Management interface, the action description provides a full translation to Chinese. (SBT-3049)

In the rules section, any use of special characters (Punctuation, Japanese) will be displayed correctly. (SBT-3033)

In Management interface when adding a user with a long name (more than 256 Characters), an error message will be displayed and settings content will remain. (SBT-3020)

In Management interface login screen, the screen displays no visual defects. (SBT-3001)

Terminal server will send full 'Portuguese' translation files to the printer. (SBT-2995)

As a cash desk operator, upon making a deposit for a user, a receipt pop-up is shown and the possibility to print is displayed. (SBT-2968)

In Management interface, the description of the terminal-delete-jobs has been amended to reflect that it only applies to Terminal Professional providing an improved user experience. (SBT-2951)

Upon updating the firmware when using a Konica Minolta GEN2 browser terminal, the SAFEQ Scan workflow option of PDF/A will not be selected if the users select PDF/cPDF. (SBT-2784)

In Management interface, when choosing PDF/HTML/DOCX to export management reports, the contents are displayed correctly. (SBT-2711) A copy of the scan is sent to the logged-in user when using "send me a copy" in Lexmark native scanning solution. (SBT-2288)

In management interface, only appropriate controller advice will run when required. (SBT-2247)

2.3 EARLY ACCESS PROGRAM

YSoft SAFEQ Client v3 is under the Early Access Program (YSQL6-049-0000; YSoft SAFEQ Client v3; F_NEW_SQ6_CLIENT); see details about the program in Early Access Program. Client application use needs to be validated by a Y Soft Solution Consultant.

2.4 OTHER INCLUDED CHANGE CODES

SQC-6106, SQC-6102, SQC-6100, SQC-6097, SQC-6070, SQC-6056, SQC-6055, SQC-6032, SQC-6031, SQC-6014, SQC-6012, SQC-6007, SQC-6002, SQC-5976, SQC-5952, SQC-5858, SQC-5720, SQC-5199, SBT-3191, SBT-3171, SBT-3170, SBT-3163, SBT-3160, SBT-3125, SBT-3124, SBT-3112, SBT-3110, SBT-3099, SBT-3088, SBT-3087, SBT-3086, SBT-3085, SBT-3079, SBT-3076, SBT-3074, SBT-3064, SBT-3055, SBT-3048, SBT-3045, , SBT-3037, SBT-3034, SBT-3031, SBT-3011, SBT-3000, SBT-2987, SBT-2975, SBT-2974, SBT-2890, SBT-2867, SBT-2847, SBT-2785, SBT-1308

2.5 PRODUCT EXTENSIONS (OR CUSTOMIZATIONS)

Customers who use YSoft SafeQ extensions or customizations should contact their Y Soft RSM or Customer Support Services for compatibility verification with the new build. We recommend testing all extensions before applying a Build update into a production environment.

You can find additional information on Partner Portal:

<https://portal.ysoft.com/products/ysoft-safeg/extension-store/print-job-extension>