

# **YSOFT SAFEQ 6**

## **Build 48 Release Notes**

# CONTENT

<b>1</b>	<b>Infrastructure and other changes</b>	<b>2</b>
1.1	Using Microsoft OAuth2 based authentication for accessing emails in Mobile Print Server	2
1.2	Using Google OAuth2 based authentication for accessing emails in Mobile Print Server	2
1.3	Sharp - Support of new A4 devices from the Luna series	2
<b>2</b>	<b>Fixes and Improvements</b>	<b>3</b>
2.1	Client Application, Terminals and User Interfaces	3
2.2	Installation and Administration	3
2.3	Product extensions (formerly known as customizations)	4

# 1 INFRASTRUCTURE AND OTHER CHANGES

## 1.1 USING MICROSOFT OAUTH2 BASED AUTHENTICATION FOR ACCESSING EMAILS IN MOBILE PRINT SERVER

YSoft SAFEQ now supports OAuth2 based authentication for accessing emails in the Mobile Print Server. (Microsoft [announced](#) that support for Basic Authentication using username and password will end later this year; the Mobile Print Server used Basic Authentication). From now on, administrators can choose to use the Mobile Print Server in OAuth mode. (SQC-1222)

## 1.2 USING GOOGLE OAUTH2 BASED AUTHENTICATION FOR ACCESSING EMAILS IN MOBILE PRINT SERVER

YSoft SAFEQ now supports OAuth2 based authentication for accessing emails in the Mobile Print Server. (Google [announced](#) the end of ability of less secure apps to access G Suite account data; the Mobile Print Server used this approach). From now on, administrators can choose to use the Mobile Print Server in OAuth mode. (SQC-2863)

## 1.3 SHARP - SUPPORT OF NEW A4 DEVICES FROM THE LUNA SERIES

YSoft SAFEQ Embedded Terminal can now be installed on Sharp A4 devices from the Luna series, a Lexmark OEM brand. Authentication, copy, print, scan workflows and device dependent accounting are supported. (SQC-2301)

## 2 FIXES AND IMPROVEMENTS

### 2.1 CLIENT APPLICATION, TERMINALS AND USER INTERFACES

The native scan panel is enabled on Brother devices with embedded terminal. (SBT-1595)

The screen for card self-assignment requiring login and password now fits on Lexmark devices with small screens. (SBT-1008)

The Epson SDK was updated to version 1.10. (SQC-2510)

If HTTPS is enforced with 2nd Gen. Embedded Terminal, then images are downloaded over this protocol. (SBT-1544)

The desktop interface configuration file for the client application is now persisted to the user folder which should be accessible to the user at all times. (SBT-1327)

Information about 3D reference prints were added to the eDee terminal. (EDEE-2188)

### 2.2 INSTALLATION AND ADMINISTRATION

Card numbers visible to a system administrator are now masked. The administrator can reveal them with the system property, *maskCardNumber*. (SBT-1004)

The description for the property, *forceSecureDeviceDescription*, in the management interface and documentation has been updated to reflect requirements for the OpenAPI version. (SBT-1543)

The description for the parameter, *PIN-archivation-period*, was improved in the management interface so it now refers to related properties. (SBT-136)

A server installation with an external MS SQL database is now able to properly connect to a database with NTLMv2. (SBT-1010)

Terminal server is able to start even if some port binding is not possible during the startup procedure. (SBT-1038)

Whenever an installer tries to create a database for IMS and fails, the installation process is now cancelled, giving user feedback with logs for obtaining more details. (SBT-1522)

Documentation has been extended with a description of the MS SQL server which hosts more product installations (e.g. production and test) which both use a MSSQL instance. (SBT-1080)

The user input field type for scanning workflows are now translated to the selected language. (SBT-1612)

## 2.3 PRODUCT EXTENSIONS (FORMERLY KNOWN AS CUSTOMIZATIONS)

The LPR client in the Job Routing Proxy (SWC-79) will not fail anymore if special characters are used in the print job title. Fixed was released in the Job Routing Proxy 3.6.3. (GSS-3085)

Customers who use YSoft SAFEQ extensions should contact their Y Soft partner sales representative or Customer Support Services for compatibility verification with the new Build. We recommend testing all extensions before applying a Build update into a production environment.

You can find additional information on Partner Portal: <https://portal.ysoft.com/products/ysoft-safeq/extensions-store>