

YSOFT SAFEQ 6

Build 57 Release Notes

CONTENT

1	Fixes and Improvements	2
1.1	Terminals, User Interfaces	2
1.2	Installation and Administration	2
1.3	Early Access Program	3
1.4	Other included change codes	3
1.5	Product extensions (or customizations)	4

1 FIXES AND IMPROVEMENTS

1.1 TERMINALS, USER INTERFACES

The print all toggle button on 2nd Gen Embedded Terminals has been increased in size to allow for improved user engagement. (SQC-5434)



When selecting 'High resolution' within a scan workflow on the Ricoh SOP terminal, the resolution will default to 400 dpi. (SBT-2683)

Any print job that is in a 'Cancelled' state will be visible on the HP embedded terminal. (SBT-2560)

When a user is utilizing quotas, any selected change in finishing options will be accounted for on the Xerox embedded terminal. (SBT-2552)

The installation of the Konica Minolta embedded terminal has been improved when installing with a self-signed certificate. (SBT-2551)

1.2 INSTALLATION AND ADMINISTRATION

The SAFEQ scan workflow connector now supports Micro Focus Content Manager (HP Content Manager/HP Trim) version 9.X. (SQC-430)

Customers can update SPOC without having to define the option 'startServicesAfterInstall'. (SBT-2698)

The license expiration date within the management dashboard reflects the same expiration date detailed in the license information page. (SBT-2692)

Within the payment system, the ability to export translation means not only English text is displayed in all-languages. (SBT-2689)

It is now possible to create an access definition for a previously created device in SAFEQ Management. (SBT-2687)

When an administrator is exporting the filtered transaction from reports within the YSoft SafeQ Payment System, the exported content is clear and reflects the original content. (SBT-2682)

The correct text resources are now reflected within the management server configuration properties. (SBT-2654)

In flexi-spooler, when a user selects batch printing via far-roaming, all the jobs listed in the batch are sent over far roaming method. (SBT-2634)

All HP end job notification messages received on terminal server are acknowledged regardless of potential errors. (SBT-2633)

The removal of 'rawPrinterConnectionTimeout' parameter has been enabled as it is redundant and no longer required. (SBT-2574)

On HP devices, automatic paper format detection is enabled allowing users to accurately capture A3 when scanning. (SBT-2568)

In environments utilizing the 'Kuorio' payment plug-in with the Konica Minolta embedded terminal, reservations are settled, users are charged, and continued authentication is possible. (SBT-2556)

The customer can correctly parse jobs from the macOS Xerox print driver. (SBT-2520)

The correct Chinese language is displayed in the 'Miscellaneous' section within SAFEQ Management. (SBT-2515)

SAFEQ will wait for all IPP confirmations and will not terminate connection by RST. (SBT-2494)

SAFEQ handles PDL messages from the MFD correctly with RAW backend and fully delivers jobs to the MFD successfully (SAFEQ Spooler, FSP and Client v3). (SBT-2483)

For customers who have HP embedded terminal with IPP back-end and the MFD in the environment reaches a limit of 5 jobs in a queue, SAFEQ will continue re-trying job delivery until successfully added to the queue. (SBT-2477)

In SAFEQ Management, an administrator is able to change the language of the selected device from the action's menu. (SBT-2404)

When opening the device session screen, the progress bar will not always be displayed. (SBT-2206)

The SAFEQ Client v2. insecure update process has now been resolved. (SBT-2555)

1.3 EARLY ACCESS PROGRAM

The Compliance and security have been improved through the option to use YSoft SAFEQ Client v3 in a fully secured environment by setting up Job Service to communicate over secure YMQ. (SQC-5393)

The 3D job reception in client non-spooling mode is implemented in SAFEQ Client v3. (SBT-2497)

YSoft SAFEQ Client v3 is under the Early Access Program (YSQL6-049-0000; YSoft SAFEQ Client v3; F_NEW_SQ6_CLIENT); see details about the program in Early Access Program. Client application use needs to be validated by a Y Soft Solution Consultant.

1.4 OTHER INCLUDED CHANGE CODES

SQC-5591, SQC-5590

1.5 PRODUCT EXTENSIONS (OR CUSTOMIZATIONS)

Customers who use YSoft SafeQ extensions or customizations should contact their Y Soft RSM or Customer Support Services for compatibility verification with the new build. We recommend testing all extensions before applying a Build update into a production environment.

You can find additional information on Partner Portal:

<https://portal.ysoft.com/products/ysoft-safeq/extension-store/print-job-extension>

SWC-133 - Custom CDD and PJI headers for Chrome print extension are now updated. (GSS-3688)

SWC-146 - The YSoft SAFEQ DocuWare connector enables easy integration between YSoft SAFEQ scan workflows and the DocuWare document management system. (SWC-146)